

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Dilution Factor			1			1			1		
Unit	ug/l	ug/l	ug/l			ug/l			ug/l		
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 8260D											
1,1,1-Trichloroethane	200	200	0.24	U	0.24	0.24	U	0.24	0.24	U	0.24
1,1,2,2-Tetrachloroethane	0.84	4.3	0.37	U	0.37	0.37	U	0.37	0.37	U	0.37
1,1,2-Trichloro-1,2,2-trifluoroethane	63000	170000	0.31	U	0.31	0.31	U	0.31	0.31	U	0.31
1,1,2-Trichloroethane	5	5	0.20	U	0.20	0.20	U	0.20	0.20	U	0.20
1,1-Dichloroethane	31	160	0.26	U	0.26	0.26	U	0.26	0.26	U	0.26
1,1-Dichloroethene	7	7	0.26	U	0.26	0.26	U	0.26	0.26	U	0.26
1,2,3-Trichlorobenzene	NA	NA	0.36	U	0.36	0.36	U	0.36	0.36	U	0.36
1,2,4-Trichlorobenzene	70	70	0.37	U	0.37	0.37	U	0.37	0.37	U	0.37
1,2-Dibromo-3-Chloropropane	0.2	0.2	0.38	U	0.38	0.38	U	0.38	0.38	U	0.38
1,2-Dichlorobenzene	600	600	0.21	U	0.21	0.21	U	0.21	0.21	U	0.21
1,2-Dichloroethane	5	5	0.43	U	0.43	0.43	U	0.43	0.43	U	0.43
1,2-Dichloropropane	5	5	0.35	U	0.35	0.35	U	0.35	0.35	U	0.35
1,3-Dichlorobenzene	600	600	0.34	U	0.34	0.34	U	0.34	0.34	U	0.34
1,4-Dichlorobenzene	75	75	0.33	U	0.33	0.33	U	0.33	0.33	U	0.33
1,4-Dioxane	6.4	32	28	U	28	28	U	28	28	U	28
2-Butanone (MEK)	4000	4000	1.9	U	1.9	1.9	U	1.9	1.9	U	1.9
2-Hexanone	63	260	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
4-Methyl-2-pentanone (MIBK)	3300	9300	1.3	U	1.3	1.3	U	1.3	1.3	U	1.3
Acetone	38000	110000	4.4	U	4.4	4.4	U	4.4	4.4	U	4.4
Benzene	5	5	0.20	U	0.20	0.20	U	0.20	0.20	U	0.20
Bromoform	80	80	0.54	U	0.54	0.54	U	0.54	0.54	U	0.54
Bromomethane	10	10	0.55	U	0.55	0.55	U	0.55	0.55	U	0.55
Carbon disulfide	1500	6200	0.82	U	0.82	0.82	U	0.82	0.82	U	0.82
Carbon tetrachloride	5	5	0.21	U	0.21	0.21	U	0.21	0.21	U	0.21
Chlorobenzene	100	100	0.38	U	0.38	0.38	U	0.38	0.38	U	0.38
Chlorobromomethane	90	90	0.41	U	0.41	0.41	U	0.41	0.41	U	0.41
Chlorodibromomethane	80	80	0.28	U	0.28	0.28	U	0.28	0.28	U	0.28
Chloroethane	250	1200	0.32	U	0.32	0.32	U	0.32	0.32	U	0.32
Chloroform	80	80	0.33	U	0.33	0.33	U	0.33	0.33	U	0.33
Chloromethane	30	30	0.40	U	0.40	0.40	U	0.40	0.40	U	0.40
cis-1,2-Dichloroethene	70	70	0.22	U	0.22	0.22	U	0.22	0.22	U	0.22
cis-1,3-Dichloropropene	NA	NA	0.22	U	0.22	0.22	U	0.22	0.22	U	0.22
Cyclohexane	13000	53000	0.32	U	0.32	0.32	U	0.32	0.32	U	0.32
Dichlorobromomethane	80	80	0.34	U	0.34	0.34	U	0.34	0.34	U	0.34
Dichlorodifluoromethane	1000	1000	0.31	U	0.31	0.31	U	0.31	0.31	U	0.31
Ethylbenzene	700	700	0.30	U	0.30	0.30	U	0.30	0.30	U	0.30
Ethylene Dibromide	0.05	0.05	0.50	U	0.50	0.50	U	0.50	0.50	U	0.50
Isopropylbenzene	840	3500	0.34	U	0.34	0.34	U	0.34	0.34	U	0.34
Methyl acetate	42000	120000	0.79	U	0.79	0.79	U	0.79	0.79	U	0.79
Methyl tert-butyl ether	20	20	0.22	U	0.22	0.22	U	0.22	0.22	U	0.22
Methylcyclohexane	NA	NA	0.71	U	0.71	0.71	U	0.71	0.71	U	0.71

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Dilution Factor			1			1			1		
Unit	ug/l	ug/l	ug/l			ug/l			ug/l		
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
Methylene Chloride	5	5	0.32	U	0.32	0.32	U	0.32	0.32	U	0.32
m-Xylene & p-Xylene	NA	NA	0.30	U	0.30	0.30	U	0.30	0.30	U	0.30
o-Xylene	NA	NA	0.36	U	0.36	0.36	U	0.36	0.36	U	0.36
Styrene	100	100	0.42	U	0.42	0.42	U	0.42	0.42	U	0.42
Tetrachloroethene	5	5	0.25	U	0.25	0.25	U	0.25	0.25	U	0.25
Toluene	1000	1000	0.38	U	0.38	0.38	U	0.38	0.38	U	0.38
trans-1,2-Dichloroethene	100	100	0.24	U	0.24	0.24	U	0.24	0.24	U	0.24
trans-1,3-Dichloropropene	NA	NA	0.22	U	0.22	0.22	U	0.22	0.22	U	0.22
Trichloroethene	5	5	0.31	U	0.31	0.31	U	0.31	0.31	U	0.31
Trichlorofluoromethane	2000	2000	0.32	U	0.32	0.32	U	0.32	0.32	U	0.32
Vinyl chloride	2	2	0.17	U	0.17	0.17	U	0.17	0.17	U	0.17
Xylenes, Total	10000	10000	0.65	U	0.65	0.65	U	0.65	0.65	U	0.65
Total Conc	NA	NA	0.0			0.0			0.0		
Total Estimated Conc. (TICs)	NA	NA	0.0*T			0.0*T			0.0*T		

*T There are no TICs reported for the sample

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Omayra Penas

Senior Project Manager

(732)593-2538

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Dilution Factor			1			1			1		
Unit	ug/l	ug/l	ug/l			ug/l			ug/l		
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 8270E SIM											
1,4-Dioxane	6.4	32	0.22	J *1	0.22	0.22	J *1	0.22	0.22	J *1	0.22
Benzo[a]anthracene	0.32	4.9	0.020	U	0.020	0.020	U	0.020	0.020	U	0.020
Benzo[a]pyrene	0.2	0.2	0.027	U	0.027	0.027	U	0.027	0.027	U	0.027
Benzo[b]fluoranthene	0.19	1.2	0.030	U	0.030	0.030	U	0.030	0.030	U	0.030
Benzo[g,h,i]perylene	0.26	0.26	0.044	U	0.044	0.044	U	0.044	0.044	U	0.044
Benzo[k]fluoranthene	0.19	0.55	0.035	U	0.035	0.035	U	0.035	0.035	U	0.035
Bis(2-chloroethyl)ether	0.15	0.76	0.033	U	0.033	0.033	U	0.033	0.033	U	0.033
Dibenz(a,h)anthracene	0.055	0.6	0.025	U	0.025	0.025	U	0.025	0.025	U	0.025
Hexachlorobenzene	1	1	0.014	U	0.014	0.014	U	0.014	0.014	U	0.014
Indeno[1,2,3-cd]pyrene	0.19	2.8	0.045	J *+	0.045	0.045	J *+	0.045	0.045	J *+	0.045
N-Nitrosodimethylamine	0.0014	0.018	0.14	U	0.14	0.14	U	0.14	0.14	U	0.14
Pentachlorophenol	1	1	0.089	J *1	0.089	0.089	J *1	0.089	0.089	J *1	0.089
Total Conc	NA	NA	0.0			0.0			0.0		

*+ : LCS and/or LCSD is outside acceptance limits, high biased.

*1 : LCS/LCSD RPD exceeds control limits.

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Omayra Penas

Senior Project Manager

(732)593-2538

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Dilution Factor			1			1			1		
Unit	ug/l	ug/l	ug/l			ug/l			ug/l		
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 8270E											
1,1'-Biphenyl	91	430	1.5	U	1.5	1.5	U	1.5	1.5	U	1.5
1,2,4-Trichlorobenzene	70	70	0.81	U	0.81	0.81	U	0.81	0.81	U	0.81
1,2-Dichlorobenzene	600	600	0.63	U	0.63	0.63	U	0.63	0.63	U	0.63
1,3-Dichlorobenzene	600	600	2.5	U	2.5	2.5	U	2.5	2.5	U	2.5
1,4-Dichlorobenzene	75	75	0.55	U	0.55	0.55	U	0.55	0.55	U	0.55
2,2'-oxybis[1-chloropropane]	300	300	0.79	U	0.79	0.79	U	0.79	0.79	U	0.79
2,4,5-Trichlorophenol	4200	12000	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
2,4,6-Trichlorophenol	42	120	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
2,4-Dichlorophenol	20	20	1.3	U	1.3	1.3	U	1.3	1.3	U	1.3
2,4-Dimethylphenol	830	2300	0.77	U	0.77	0.77	U	0.77	0.77	U	0.77
2,4-Dinitrophenol	83	230	3.3	U	3.3	3.3	U	3.3	3.3	U	3.3
2,4-Dinitrotoluene	2.4	11	1.2	U	1.2	1.2	U	1.2	1.2	U	1.2
2,6-Dinitrotoluene	0.49	2	1.0	U	1.0	1.0	U	1.0	1.0	U	1.0
2-Chloronaphthalene	3300	9300	1.5	U	1.5	1.5	U	1.5	1.5	U	1.5
2-Chlorophenol	40	40	0.47	U	0.47	0.47	U	0.47	0.47	U	0.47
2-Methylnaphthalene	170	470	0.66	U	0.66	0.66	U	0.66	0.66	U	0.66
2-Methylphenol	2100	5800	0.84	U	0.84	0.84	U	0.84	0.84	U	0.84
2-Nitroaniline	420	1200	0.59	U	0.59	0.59	U	0.59	0.59	U	0.59
2-Nitrophenol	330	930	0.93	U	0.93	0.93	U	0.93	0.93	U	0.93
3,3'-Dichlorobenzidine	1.6	7.6	1.8	U	1.8	1.8	U	1.8	1.8	U	1.8
3-Nitroaniline	NA	NA	2.4	U	2.4	2.4	U	2.4	2.4	U	2.4
4,6-Dinitro-2-methylphenol	3.3	9.3	3.7	U	3.7	3.7	U	3.7	3.7	U	3.7
4-Bromophenyl phenyl ether	NA	NA	0.93	U	0.93	0.93	U	0.93	0.93	U	0.93
4-Chloro-3-methylphenol	4200	12000	0.72	U	0.72	0.72	U	0.72	0.72	U	0.72
4-Chloroaniline	3.7	17	2.4	U	2.4	2.4	U	2.4	2.4	U	2.4
4-Chlorophenyl phenyl ether	NA	NA	1.6	U	1.6	1.6	U	1.6	1.6	U	1.6
4-Methylphenol	210	580	0.81	U	0.81	0.81	U	0.81	0.81	U	0.81
4-Nitroaniline	37	170	1.5	U	1.5	1.5	U	1.5	1.5	U	1.5
4-Nitrophenol	60	60	5.0	U	5.0	5.0	U	5.0	5.0	U	5.0
Acenaphthene	2500	3800	1.3	U	1.3	1.3	U	1.3	1.3	U	1.3
Acenaphthylene	2500	7000	1.0	U	1.0	1.0	U	1.0	1.0	U	1.0
Acetophenone	4200	12000	2.9	U	2.9	2.9	U	2.9	2.9	U	2.9
Anthracene	66	66	1.6	U*	1.6	1.6	U*	1.6	1.6	U*	1.6
Atrazine	3	3	1.7	U	1.7	1.7	U	1.7	1.7	U	1.7
Benzaldehyde	NA	NA	2.6	U	2.6	2.6	U	2.6	2.6	U	2.6
Benzidine	0.00098	0.015	1.0	U	1.0	1.0	U	1.0	1.0	U	1.0
Bis(2-chloroethoxy)methane	130	350	0.74	U	0.74	0.74	U	0.74	0.74	U	0.74
Bis(2-ethylhexyl) phthalate	6	6	1.0	U	1.0	1.0	U	1.0	1.0	U	1.0
Butyl benzyl phthalate	380	1800	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Caprolactam	NA	NA	2.8	U	2.8	2.8	U	2.8	2.8	U	2.8
Carbazole	37	170	0.85	U	0.85	0.85	U	0.85	0.85	U	0.85

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Dilution Factor			1			1			1		
Unit	ug/l	ug/l	ug/l			ug/l			ug/l		
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
Chrysene	1.9	1.9	1.1	U*-	1.1	1.1	U*-	1.1	1.1	U*-	1.1
Dibenzofuran	42	120	1.4	U	1.4	1.4	U	1.4	1.4	U	1.4
Diethyl phthalate	33000	93000	1.2	U	1.2	1.2	U	1.2	1.2	U	1.2
Dimethyl phthalate	NA	NA	0.96	U	0.96	0.96	U	0.96	0.96	U	0.96
Di-n-butyl phthalate	4200	12000	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Di-n-octyl phthalate	420	1200	0.94	U	0.94	0.94	U	0.94	0.94	U	0.94
Fluoranthene	260	260	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Fluorene	1700	1900	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Hexachlorobutadiene	9.4	44	0.98	U	0.98	0.98	U	0.98	0.98	U	0.98
Hexachlorocyclopentadiene	50	50	4.6	U	4.6	4.6	U	4.6	4.6	U	4.6
Hexachloroethane	1	1	1.0	U	1.0	1.0	U	1.0	1.0	U	1.0
Isophorone	100	100	1.0	U	1.0	1.0	U	1.0	1.0	U	1.0
Naphthalene	100	100	0.68	U	0.68	0.68	U	0.68	0.68	U	0.68
Nitrobenzene	83	230	0.71	U	0.71	0.71	U	0.71	0.71	U	0.71
N-Nitrosodi-n-propylamine	0.1	0.49	0.54	U	0.54	0.54	U	0.54	0.54	U	0.54
N-Nitrosodiphenylamine	150	690	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Phenanthrene	1100	1100	1.6	U*-	1.6	1.6	U*-	1.6	1.6	U*-	1.6
Phenol	2000	2000	0.37	U	0.37	0.37	U	0.37	0.37	U	0.37
Pyrene	130	130	2.1	U*-	2.1	2.1	U*-	2.1	2.1	U*-	2.1
Total Conc	NA	NA	0.0			0.0			0.0		
Total Estimated Conc. (TICs)	NA	NA	0.0*T			0.0*T			0.0*T		

*T There are no TICs reported for the sample

*- : LCS and/or LCSD is outside acceptance limits, low biased.

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Omayra Penas

Senior Project Manager

(732)593-2538

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Dilution Factor			1			1			1		
Unit	ug/l	ug/l	ug/l			ug/l			ug/l		
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 8082A											
Aroclor 1016	0.37	1.7	0.12	U	0.12	0.12	U	0.12	0.12	U	0.12
Aroclor 1221	0.37	1.7	0.12	U	0.12	0.12	U	0.12	0.12	U	0.12
Aroclor 1232	0.37	1.7	0.12	U	0.12	0.12	U	0.12	0.12	U	0.12
Aroclor 1242	0.37	1.7	0.12	U	0.12	0.12	U	0.12	0.12	U	0.12
Aroclor 1248	0.37	1.7	0.12	U	0.12	0.12	U	0.12	0.12	U	0.12
Aroclor 1254	0.37	1.7	0.11	U	0.11	0.11	U	0.11	0.11	U	0.11
Aroclor 1260	0.37	1.7	0.11	U	0.11	0.11	U	0.11	0.11	U	0.11
Aroclor 1262	NA	NA	0.11	U	0.11	0.11	U	0.11	0.11	U	0.11
Aroclor 1268	NA	NA	0.11	U	0.11	0.11	U	0.11	0.11	U	0.11

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:
 Omayra Penas
 Senior Project Manager
 (732)593-2538

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

Lab Job ID: 460-224773-1

Job Description: East Goshen Sunoco

For:

Pennoni Associates, Inc.

1900 Market Street

Philadelphia, Pennsylvania 19103

Client ID	PA Residential	PA NonResidential	#1-Hibberd Lane-Ridley Creek			#2-Bow Tree Pond			#3-Harrow Lane (1606)		
Lab Sample ID	Used Aquifers	Used Aquifers	460-224773-1			460-224773-2			460-224773-3		
Sampling Date	TDS<2500	TDS<2500	12/08/2020 07:30:00			12/08/2020 08:00:00			12/08/2020 08:30:00		
Matrix			Water			Water			Water		
Unit											
			Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 6020B(UG/L)											
Aluminum, Dissolved	NA	NA	8.0	U	8.0	8.0	U	8.0	8.0	U	8.0
Antimony, Dissolved	6	6	0.76	U	0.76	0.76	U	0.76	0.76	U	0.76
Arsenic, Dissolved	10	10	0.89	U	0.89	0.89	U	0.89	0.89	U	0.89
Barium, Dissolved	2000	2000	37.5	U	0.91	74.4	U	0.91	124	U	0.91
Beryllium, Dissolved	4	4	0.098	U	0.098	0.098	U	0.098	0.098	U	0.098
Cadmium, Dissolved	5	5	0.16	U	0.16	0.16	U	0.16	0.16	U	0.16
Calcium, Dissolved	NA	NA	19200		22.7	43400		22.7	49100		22.7
Chromium, Dissolved	100	100	0.69	U	0.69	0.69	U	0.69	0.69	U	0.69
Cobalt, Dissolved	13	35	0.26	U	0.26	0.26	U	0.26	0.26	U	0.26
Copper, Dissolved	1000	1000	2.5	U	2.5	2.5	U	2.5	2.5	U	2.5
Iron, Dissolved	NA	NA	23.5	J	8.5	8.5	U	8.5	8.5	U	8.5
Lead, Dissolved	5	5	0.11	U	0.11	0.11	U	0.11	0.11	U	0.11
Magnesium, Dissolved	NA	NA	11900		15.4	21400		15.4	25600		15.4
Manganese, Dissolved	300	300	11.5		1.1	11.5		1.1	7.2	J	1.1
Nickel, Dissolved	100	100	1.5	J	0.45	0.45	U	0.45	0.81	J	0.45
Potassium, Dissolved	NA	NA	2060		112	1730		112	1620		112
Selenium, Dissolved	50	50	0.46	U	0.46	0.46	U	0.46	0.50	J	0.46
Silver, Dissolved	100	100	0.19	U	0.19	0.19	U	0.19	0.19	U	0.19
Sodium, Dissolved	NA	NA	24200		58.2	19300		58.2	21500		58.2
Thallium, Dissolved	2	2	0.17	U	0.17	0.17	U	0.17	0.17	U	0.17
Vanadium, Dissolved	2.9	8.2	0.37	U	0.37	0.37	U	0.37	0.37	J	0.37
Zinc, Dissolved	2000	2000	5.1	U	5.1	5.1	U	5.1	5.1	U	5.1
WATER BY 7470A(UG/L)											
Mercury, Dissolved	2	2	0.091	U	0.091	0.091	U	0.091	0.091	U	0.091

J : Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 U : Indicates the analyte was analyzed for but not detected.

Lab Contact:
 Omayra Penas
 Senior Project Manager
 (732)593-2538

